

Bengeo Parish Council

High Risk: Defects that require action before further use.

Med Risk: Defects that require to be scheduled in for maintenance when permissible.

Low Risk: Observations and remedial maintenance. **New items**

Estimates are valid for 30 Days from inspection date.

Tonwell Playground

No.	Description	Risk	Defect / Action	Cost	Status	Date
1	Double Bay Swings	Low	Gaps in safety floor, repair	120.00	Awaiting Council	Sept 25
		Low	One support post is loose in the top bracket, investigate fault, repair	150.00	Monitor/ investigate tightened bolts	Dec 25
		Low	All D shackles wearing, considerably more wear on the Junior swing top D shackles x 4 are wearing, recommend renewal	80.00	Awaiting Council	Dec 25
		Med	Seats covered in bird excrement, recommend to fitting bird roosting deterrent to top beam	95.00	Awaiting Council	May 26
2	Toddler Multi activity		N/A			
3	Adventure trail	Low	N/A			
4	Basket swing	Low	Pivot brackets loose in beam, possibly due to dry weather, recommend tightening bolts	45.00	Awaiting Council	May 26
5	Junior Multi activity	Low	N/A			
6	Gates x 2		N/A			
7	Fence		N/A			
8	Picnic Tables	Low	Recommend to fix table securely to ground	125.00 each	Awaiting Council	Sept 25
9	Sign		N/A			

Comments